L Number	Hits	Search Text	DB	Time stamp
1	5936	steam same (steril$7 or disinfect$4)	EPO; JPO; DERWENT	2004/04/06 15:50
2	84	(steam same (steril$7 or disinfect$4)) and reservoir	EPO; JPO; DERWENT	2004/04/06 15:18
3	1	((steam same (steril$7 or disinfect$4)) and reservoir) and (steel or pyrex)	EPO; JPO; DERWENT	2004/04/06 15:22
4	87	(steam same (steril$7 or disinfect$4)) and (steel or pyrex)	EPO; JPO; DERWENT	2004/04/06 15:27
5	8572	steam same (steril$7 or disinfect$4)	USPAT; US-PGPUB	2004/04/06 15:29
6	205	(steam same (steril$7 or disinfect$4)) and ((water with (reservoir or container)) same (steel or pyrex or glass))	USPAT; US-PGPUB	2004/04/06 15:39
7	473	(422/26).CCLS.	USPAT; US-PGPUB	2004/04/06 15:39
8	59	((422/26).CCLS.) and reservoir	USPAT; US-PGPUB	2004/04/06 15:39
9	27	(((422/26).CCLS.) and reservoir) and (steel or pyrex or glass)	USPAT; US-PGPUB	2004/04/06 15:45
10	144	steel adj reservoir	USPAT; US-PGPUB	2004/04/06 15:49
11	1	(steam same (steril$7 or disinfect$4)) and (steel adj reservoir)	USPAT; US-PGPUB	2004/04/06 15:45
12	59	steel adj2 reservoir	EPO; JPO; DERWENT	2004/04/06 15:49
13	0	(steam same (steril$7 or disinfect$4)) and (steel adj2 reservoir)	EPO; JPO; DERWENT	2004/04/06 15:50

C:\APPS\east\workspaces\goodworkspace.wsp

L Number	Hits	Search Text	DB	Time stamp
1	639	(steel or pyrex or glass) adj2 reservoir	USPAT; US-PGPUB	2004/04/06 15:54
2	4	((steel or pyrex or glass) adj2 reservoir) and (steam adj2 (steril$7 or disinfect$4))	USPAT; US-PGPUB	2004/04/06 15:54
3	310	(steel or pyrex or glass) adj2 reservoir	USOCR	2004/04/06 15:54
4	0	((steel or pyrex or glass) adj2 reservoir) and (steam adj2 (steril$7 or disinfect$4))	USOCR	2004/04/06 15:54
5	154	(steel or pyrex or glass) adj2 reservoir	EPO; JPO; DERWENT	2004/04/06 15:54
6	0	((steel or pyrex or glass) adj2 reservoir) and (steam adj2 (steril$7 or disinfect$4))	EPO; JPO; DERWENT	2004/04/06 15:54

C:\APPS\east\workspaces\goodworkspace.wsp